Chronic Hepatitis C Non-Responder

Eugene R. Schiff, M.D., MACP, FRCP, MACG, AGAF Leonard Miller Professor of Medicine Director, Schiff Liver Institute & Center for Liver Diseases University of Miami Miller School of Medicine

Prepared by:
Ashraf Almashhrawi, MD
Hepatology fellow
University of Miami Miller School of Medicine

Diagnosis

- A 55 year old white male
- First diagnosis with HCV in 1995 during a routine insurance physical with mild elevated ALT
- Genotype was 1b
- Liver biopsy in 1995 → mild to moderate fibrosis
- July 2004 → Biopsy confirmed stage 4 liver disease

Treatment 1 (5/30/96)

- Phase III study, Interferon IM Injections
 (3 times weekly) + Ribavirin (1000 mg)
- Duration 24 weeks
- Non-Responder

Treatment 2 (3/13/02)

- PEG/IFN 2a 180 U/week + Ribavirin (1000mg)
- 24 weeks
- Non-responder

Treatment 3 (10/1/04)

- PEG/IFN 2b 100 U/week + Ribavirin(1000 mg)
- 12 weeks
- Non-Responder

Treatment 4 (12/3/04)

- PEG/IFN 2b 50 U/week maintenance treatment
- 8 months


Treatment 5 (Jan 13-April 21, 2006)

- Infergen 15 mg (daily) + Ribavirin (600 mg)
- Non-Responder

Serial HCV RNA Levels

May 1996 through Feb 2008

At no time was HCV RNA undetectable




Treatment 6 (Feb 10-July 25,2009)

- Phase III, Double Blinded Study with
 Protease Inhibitor/PEG/IFN 2a 180 U/week
 - + Ribavirin
- 24 weeks
- Non-Responder
- Received placebo

Treatment 7 (August 2010-now)

- Phase III Rollover Study with Protease Inhibitor/PEG/IFN 2a 180 U/week + Ribavirin
- Ongoing
- HCV RNA <25 at week 4
- HCV RNA = 0 at week 8
- HCV RNA = 0 at week 12


Adverse reactions



Rash

- Day 4 Rash on chest and upper legs
- Days (6, 7) Diffuse with moderate to severe irritation
 - Topical steroidal ointment
 - Benadryl
 - Aveno bath
 - Aquaphor ointment
 - Tylenol Extra Strength
 - Ambien










Rash

Day 8 Rash subsided on back dramatically and became less on chest.


Day 9 Rash continued to subside


Day 10 Rash was only present on upper thighs


Week 4 Rash almost resolved















TPR + PR 24 Weeks

Log10 IU/ml



IL28B Polymorphism Genotype

TT genotype