

ZN, male, born 1951

- Diagnosis of hepatitis C (nAnB) in the 1980-ies
- 1995 Monotherapy with Interferon alfa2b – nonresponse
- 2000 Liver biopsy: A2, F4, Genotype 1b
- PegIntron+Ribavirin 12 months, Nonresponder
- 2002 Liver biopsy: A2,F4 + steatosis
 - MRT: 3x2.5 cm lesion in segment VI, two small lesions segment V and VIII
 - AFP: 43,6
 - MR guided biopsy: no malignancy
 - 4/02 Start with Pegasys monotherapy (total 5 years!)

ZN, male, born 1951

- 2002 cont.
 - MRT 9/02: lesion in V and VIII increased in size
 - Evaluation for liver transplantation, not listed
- 2003
 - 9/2003 – Ethanol instillation of the lesions
 - 12/03 no lesions detected

ZN, male, born 1951

- 2004
 - MRT: lesions again detectable, guided biopsy: F4, no malignancy
- 2005
 - Lichen ruber planus
 - 1/2005 MRT: multiple small hypervascular lesions, grown in size compared to 2004
 - 5/2005 further increase of the lesions
 - guided biopsy: F4, no malignancy

ZN, male, born 1951

- 2006-2008
 - Repeated MRT's: unchanged
 - Suspected minimal HE, Rp. LOLA
 - Pegasys stopped 2008
 - Between 2002 and 2006 15 MRT's – radiology consult
 - only sonography from now on
- 2009
 - Pegasys/Ribavirin/iv. Silibinin, HCV RNA undetectable for the first time, but became detectable again after stopping silibinin

ZN,male,born 1951

- 2010
 - HE grade 1, Reitan Test 76 sec, Rp. Colidimin
- 2011
 - 10/11: AFP 89
 - Start with Pegasys/Ribavirin/Telaprevir
 - Week 4 HCV undetectable
 - Week 24 breakthrough, Th. stopped

ZN, male, born 1951

- 2012-2013
 - Gastroscopy: esophageal varices II
 - Wedged hepatic pressure: 13 mm Hg
 - Rp: Inderal 40 mg
 - Kidney stone (ESWL)

- 2014
 - 3/14: VL 2.3×10^6 /ml
 - ALT: 92 U/L
 - Platelet count 69 G/L
 - Fibroscan: 21.3 kP
 - 4/14 start with 400mg SOVALDI + 60 mg DAKLINZA/24 weeks

ZN, male, born 1951

- 2015
 - 2/15: SVR 12
 - 4/15: WHPG: 9 mm Hg
 - 12/15: SVR 48
 - FS: 17.4 kP
 - ALT/AST normal
 - Thrombocytes: 69 G/L
 - AFP: 5 mg/dl